

View Online at <https://aerobasegroup.com/nsn/5915-01-330-6485>

**Overall Length:**

21.500 inches

**Overall Height:**

5.750 inches

**Body Length:**

18.000 inches

**Body Width:**

4.000 inches

**Body Height:**

4.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

18.000 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

3.000 inches

**Operating Temperature Range:**

-54.0/+65.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**End Application:**

Tactical and air operations module an/tyq-23

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Power Line Frequency Rating Per Function In Hertz:**

60.0 blank

**Operating Current Rating Per Function In Amps:**

75.0 blank

**Maximum Voltage Drop Per Function:**

1.0 volts ac blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded hole

**Features Provided:**

Mounting bracket

**Functional Terminal Type And Quantity:**

2 threaded stud input 2nd function

**Operating Voltage Rating And Type Per Function:**

117.0 volts ac blank

**Thread Size:**

0.250 inches

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

500.0 volts at sea level

**Body Surface Treatment:**

Tin

**Unpackaged Unit Weight:**

30.000 pounds

**Style Designator:**

Rectangular terminal/terminals on two surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0