

View Online at <https://aerobasegroup.com/nsn/5915-01-333-0894>

**Overall Length:**

Between 2.654 inches and 2.678 inches

**Overall Height:**

Between 0.792 inches and 0.808 inches

**Body Length:**

Between 2.492 inches and 2.508 inches

**Body Width:**

Between 0.992 inches and 1.008 inches

**Body Height:**

Between 0.242 inches and 0.258 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 1.992 inches and 2.008 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.492 inches and 0.508 inches

**Operating Temperature Range:**

-54.0/+71.0 degrees celsius

**Reference Frequency Per Function:**

13.8 megahertz blank

**Source Impedance Rating Per Function:**

390.0 ohms blank

**Load Impedance Per Function:**

390.0 ohms blank

**Principal Circuitry Type Per Function:**

Crystal blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded hole

**Features Provided:**

Moisture resistant and shock resistant

**Insertion Loss At Reference Frequency Per Function In Decibels:**

6.5 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

13.7935 megahertz blank and 13.7988 megahertz blank and 13.8012 megahertz blank and 13.8065 megahertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

13.7988 megahertz blank and 13.8012 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

3.0 blank and 60.0 blank

**Style Designator:**

Rectangular terminal/terminals on two surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0