

View Online at <https://aerobasegroup.com/nsn/5915-01-334-4791>

Overall Length:

8.000 inches

Body Length:

8.000 inches

Body Width:

6.000 inches

Body Height:

3.500 inches

Unthreaded Mounting Hole Diameter:

0.172 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

6.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

5.500 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Reference Frequency Per Function:

175.0 2nd radio interference two phase to two phase

Source Impedance Rating Per Function:

50.0 ohms 3rd band suppression

Load Impedance Per Function:

50.0 ohms 2nd band suppression

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd band suppression

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 1st band suppression

Functional Terminal Type And Quantity:

3 screw output 2nd function

Specified Frequencies Of Discrimination Per Function:

100.00 kilohertz 1st band suppression and 150.00 kilohertz 1st band suppression and 200.00 kilohertz 1st band suppression and 250.00 kilohertz 1st band suppression

Body Material:

Metal

Frequency Band Width Per Function:

150.00 kilohertz 3rd band suppression and 200.00 kilohertz 3rd band suppression

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 3rd band suppression and 60.0 3rd band suppression

Special Features:

Three filtered functions; one unfiltered function

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Specification Data:

30003-1185as156 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0