

View Online at <https://aerobasegroup.com/nsn/5915-01-334-7805>

Source Impedance Rating Per Function:

50.0 ohms 4th radio interference

Load Impedance Per Function:

50.0 ohms 5th radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 6th radio interference

Operating Current Rating Per Function In Amps:

5.0 3rd radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 6th radio interference

Maximum Temperature Rise:

25.0 degrees celsius

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 connector

Functional Terminal Type And Quantity:

35 friction w/grounding strap and pin input-output

Operating Voltage Rating And Type Per Function:

120.0 volts ac 6th radio interference 6th function and 200.0 volts dc 6th radio interference 6th function

Body Material:

Aluminum

Maximum Dielectric Withstanding Dc Voltage:

10.0 volts at sea level

Body Surface Treatment:

Cadmium

Criticality Code Justification:

Feat

Special Features:

35 filtered functions; unique item differentiated by mounting keyways

Unpackaged Unit Weight:

6.000 ounces

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0