

View Online at <https://aerobasegroup.com/nsn/5915-01-335-9565>

Body Outside Diameter:

0.600 inches

Body Height:

0.350 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Reference Frequency Per Function:

174.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 terminal

Features Provided:

Shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

4.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

124.00 megahertz blank and 164.00 megahertz blank and 184.00 megahertz blank and 224.00 megahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

164.00 megahertz blank and 184.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 40.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

164.0 megahertz blank and 184.0 megahertz blank

Body Surface Treatment:

Gold or tin

Precious Material And Location:

Body surfaces gold

Precious Material:

Gold

Style Designator:

Round terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0