

View Online at <https://aerobasegroup.com/nsn/5915-01-337-5535>

**Overall Length:**

2.850 inches

**Overall Height:**

1.800 inches

**Body Length:**

2.250 inches

**Body Width:**

0.750 inches

**Body Height:**

1.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.000 inches

**Vibration Resistance Range In Hertz:**

+55.0/+200.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.250 inches

**Operating Temperature Range:**

+0.0/+65.0 degrees celsius

**Reference Frequency Per Function:**

152.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Input Terminal Manufacturer Code:**

94990

**Input Terminal Identification:**

Sma-receptacle

**Output Terminal Manufacturer Code:**

94990

**Output Terminal Identification:**

Sma-receptacle

**Voltage Standing Wave Ratio Per Function:**

1.5 blank

**Average Power Rating Per Function:**

6.25 watts blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded hole

**Features Provided:**

Moisture resistant and shock resistant

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.5 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle input 1st function1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

116.00 megahertz blank and 152.00 megahertz blank and 232.00 megahertz blank and 2.00 gigahertz blank

**Thread Size:**

0.086 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

116.00 megahertz blank and 152.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

0.5 blank and 40.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

116.0 megahertz blank and 152.0 megahertz blank

**Special Features:**

Includes power sensor with two d.C. Output terminals and one ground terminal; electrostatic sensitive

**Style Designator:**

Rectangular terminal/terminals on two surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0