

View Online at <https://aerobasegroup.com/nsn/5915-01-339-1015>

**Overall Length:**

Between 2.030 inches and 2.170 inches

**Body Length:**

Between 1.490 inches and 1.510 inches

**Body Width:**

Between 0.490 inches and 0.510 inches

**Body Height:**

0.600 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 1.345 inches and 1.355 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.345 inches and 0.355 inches

**Operating Temperature Range:**

+0.0/+70.0 degrees celsius

**Reference Frequency Per Function:**

2.96 gigahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Input Terminal Manufacturer Code:**

60656

**Input Terminal Identification:**

Sma-receptacle

**Output Terminal Manufacturer Code:**

60656

**Output Terminal Identification:**

Sma-receptacle

**Voltage Standing Wave Ratio Per Function:**

1.5 blank

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Features Provided:**

Moisture resistant and shock resistant

**Insertion Loss At Reference Frequency Per Function In Decibels:**

9.0 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle input 1st function1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

2.868 gigahertz blank and 2.914 gigahertz blank and 3.006 gigahertz blank and 3.052 gigahertz blank

**Thread Size:**

0.060 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

2.914 gigahertz blank and 3.006 gigahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

3.0 blank and 40.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

2.914 gigahertz blank and 3.006 gigahertz blank

**Body Surface Treatment:**

Nickel

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0