NSN 5915-01-339-2122

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-339-2122

Overall Length:
11.000 inches
Overall Height:
5.110 inches
Mounting Slot Width:
0.203 inches
Body Length:
9.000 inches
Body Width:
8.500 inches
Vibration Resistance Range In Hertz:
+10.0/+55.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
7.500 inches
Operating Tempurature Range:
+0.0/+50.0 degrees celsius
End Application:
Radar set an/sps-40c
Source Impedance Rating Per Function:
50.0 ohms 1st radio interference50.0 ohms 2nd radio interference50.0 ohms 3rd radio interference
Load Impedance Per Function:
50.0 ohms 1st radio interference50.0 ohms 2nd radio interference50.0 ohms 3rd radio interference
Power Line Frequency Rating Per Function In Hertz:
60.0 1st radio interference60.0 2nd radio interference60.0 3rd radio interference
Operating Current Rating Per Function In Amps:
30.0 1st radio interference30.0 2nd radio interference30.0 3rd radio interference
Principal Circuitry Type Per Function:
Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference inductance-capacitance 3rd radio interference
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
5 slot
Features Provided:
Mounting bracket
Functional Terminal Type And Quantity:
3 tab, solder lug input 1st function3 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

440.0 volts ac 1st radio interference 1st function440.0 volts ac 2nd radio interference 2nd function440.0 volts ac 3rd radio interference 3rd function

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

800.0 volts at sea level

NSN 5915-01-339-2122

Radio Frequency Interference Filter - Page 2 of 2



Body Surface Treatment:
Tin
Special Features:
Includes two channel mounting brackets top and bottom
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A047b0