## NSN 5915-01-340-0649

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-340-0649

view offilite at https://defobasegroup.com/hsh/os/15-01-540-0045
Overall Length:
26.500 inches
Body Length:
14.500 inches
Body Width:
10.375 inches
Body Height:
4.438 inches
Vibration Resistance Range In Hertz:
+10.0/+55.0
Average Life Rating In Hours:
250.0
Source Impedance Rating Per Function:
50.0 ohms 1st radio interference50.0 ohms 2nd radio interference
Load Impedance Per Function:
50.0 ohms 1st radio interference50.0 ohms 2nd radio interference
Power Line Frequency Rating Per Function In Hertz:
400.0 1st radio interference400.0 2nd radio interference
Operating Current Rating Per Function In Amps:
20.0 1st radio interference20.0 2nd radio interference
Principal Circuitry Type Per Function:
Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference
Maximum Tempurature Rise:
25.0 degrees celsius
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
2 terminal
Features Provided:
Moisture resistant and mounting bracket
Functional Terminal Type And Quantity:
2 threaded stud input 1st function2 threaded stud output 2nd function
Operating Voltage Rating And Type Per Function:
277.0 volts ac 1st radio interference 1st function and 600.0 volts dc 1st radio interference 1st function277.0 volts ac 2nd radio interference
2nd function and 600.0 volts dc 2nd radio interference 2nd function
Body Material:
Metal
Maximum Dielectric Withstanding Dc Voltage:
1.2 kilovolts at sea level
Body Surface Treatment:

Style Designator:

Tin

Rectangular terminal/terminals on opposite surfaces

## NSN 5915-01-340-0649

Radio Frequency Interference Filter - Page 2 of 2



Sneit	Lite:
N/a	

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0