

View Online at <https://aerobasegroup.com/nsn/5915-01-340-5768>

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

4.060 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

2.810 inches

**End Application:**

Satellite communications set an/wsc- (v) 2

**Source Impedance Rating Per Function:**

50.0 ohms 2nd radio interference

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

60.0 2nd radio interference

**Operating Current Rating Per Function In Amps:**

3.5 2nd radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 2nd radio interference

**Input Terminal Manufacturer Code:**

96906

**Input Terminal Identification:**

Ms3124e12-3p

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Features Provided:**

Moisture resistant

**Functional Terminal Type And Quantity:**

2 tab, solder lug output 2nd function

**Operating Voltage Rating And Type Per Function:**

115.0 volts ac 2nd radio interference 2nd function

**Thread Size:**

0.164 inches

**Body Material:**

Metal

**Special Features:**

2 filtered functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A047b0