NSN 5915-01-346-0593

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-346-0593

Overall Height:
1.030 inches
Body Length:
2.250 inches
Body Width:
0.380 inches
Body Height:
0.690 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.075 inches
Vibration Resistance Range In Hertz:
+10.0/+500.0
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
End Application:
Mx10407 analyzer
Reference Frequency Per Function:
485.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
7.0 blank
Functional Terminal Type And Quantity:
1 pin input 1st function1 pin output 2nd function6 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
470.00 megahertz blank and 480.00 megahertz blank and 490.00 megahertz blank and 500.00 megahertz blank
Thread Size:
0.086 inches
Body Material:
Metal
Frequency Band Width Per Function:
480.00 megahertz blank and 490.00 megahertz blank

NSN 5915-01-346-0593

Band Pass Filter - Page 2 of 2

Fiig: A047b0



Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 40.0 blank
Body Surface Treatment:
Tin
Precious Material And Location:
Body surfaces gold
Precious Material:
Gold
Style Designator:
Rectangular terminal/terminals on one surface
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No