

View Online at <https://aerobasegroup.com/nsn/5915-01-347-2737>

**Overall Length:**

14.880 inches

**Body Length:**

12.880 inches

**Body Width:**

3.750 inches

**Body Height:**

3.750 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Operating Temperature Range:**

-54.0/+52.0 degrees celsius

**End Application:**

5411-01-304-6121 shelter, nonexpa

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Power Line Frequency Rating Per Function In Hertz:**

60.0 blank

**Operating Current Rating Per Function In Amps:**

10.0 blank

**Maximum Voltage Drop Per Function:**

1.2 volts dc blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

1 threaded stud

**Features Provided:**

Nut and washer

**Functional Terminal Type And Quantity:**

1 threaded stud input 1st function1 threaded stud output 2nd function

**Operating Voltage Rating And Type Per Function:**

120.0 volts dc blank

**Thread Size:**

0.375 inches

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

240.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0