

View Online at https://aerobasegroup.com/nsn/5915-01-348-5819

## **Overall Length:** 1.426 inches **Body Length:** Between 0.829 inches and 0.891 inches **Body Outside Diameter:** Between 0.650 inches and 0.690 inches Vibration Resistance Range In Hertz: +10.0/+500.0 **Operating Tempurature Range:** -55.0/+85.0 degrees celsius **End Application:** B-1b aircraft **Source Impedance Rating Per Function:** 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank **Power Line Frequency Rating Per Function In Hertz:** 400.0 blank **Operating Current Rating Per Function In Amps:** 5.0 blank Maximum Voltage Drop Per Function: 2.3 volts ac blank and 4.0 volts dc blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Maximum Tempurature Rise:** 25.0 degrees celsius Mounting Facility Screw Thread Series Designator: Unf **Inclosure Type:** Encased Mounting Facility Type And Quantity: 1 threaded bushing **Features Provided:** Nut and washer **Functional Terminal Type And Quantity:** 1 tab, solder lug input 1st function1 tab, solder lug output 2nd function **Operating Voltage Rating And Type Per Function:** 230.0 volts ac blank and 400.0 volts dc blank Thread Size: 0.312 inches **Body Material:** Metal



## Maximum Dielectric Withstanding Dc Voltage:

1.2 kilovolts at sea level

## Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0