

View Online at <https://aerobasegroup.com/nsn/5915-01-349-0083>

**Overall Height:**

5.000 inches

**Body Length:**

Between 2.219 inches and 2.390 inches

**Body Width:**

2.125 inches

**Body Height:**

Between 4.400 inches and 4.531 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 1.684 inches and 1.716 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 1.584 inches and 1.616 inches

**Operating Temperature Range:**

+15.0/+45.0 degrees celsius

**Reference Frequency Per Function:**

3.91 kilohertz blank

**Source Impedance Rating Per Function:**

1.0 kilohms blank

**Load Impedance Per Function:**

2.6 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded stud

**Features Provided:**

Moisture resistant and shock resistant

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.5 blank

**Functional Terminal Type And Quantity:**

1 pin input 1st function 1 pin output 2nd function 2 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

3.71 kilohertz blank and 3.86 kilohertz blank and 3.96 kilohertz blank and 4.18 kilohertz blank

**Thread Size:**

0.190 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

3.86 kilohertz blank and 3.96 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

1.0 blank and 40.0 blank

**Body Surface Treatment:**

Tin

**Unpackaged Unit Weight:**

11.000 ounces

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0