

View Online at <https://aerobasegroup.com/nsn/5915-01-350-2407>

Overall Length:

4.200 inches

Overall Height:

1.530 inches

Overall Width:

5.195 inches

Mounting Slot Width:

0.156 inches

Body Length:

3.370 inches

Body Width:

3.945 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 3.735 inches and 3.765 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.985 inches and 2.015 inches

Operating Temperature Range:

-10.0/+40.0 degrees celsius

End Application:

4935-01-255-1315

Source Impedance Rating Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

Operating Current Rating Per Function In Amps:

20.0 1st radio interference 20.0 2nd radio interference

Maximum Voltage Drop Per Function:

2.5 volts ac 1st radio interference 2.5 volts ac 2nd radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference

Maximum Temperature Rise:

40.0 degrees celsius

Inclosure Type:

Encapsulated

Mounting Facility Type And Quantity:

4 slot

Features Provided:

Corrosion resistant

Functional Terminal Type And Quantity:

2 threaded stud input 1st function 2 threaded stud output 2nd function 1 threaded stud ground 3rd function

Operating Voltage Rating And Type Per Function:

250.0 volts ac 1st radio interference 1st function 250.0 volts ac 2nd radio interference 2nd function

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

2.2 kilovolts at sea level

Body Surface Treatment:

Cadmium or nickel

Special Features:

Two filtered

Unpackaged Unit Weight:

1.800 pounds

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0