NSN 5915-01-352-6833

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-352-6833

Overall Height:
2.320 inches
Body Length:
4.380 inches
Body Width:
1.240 inches
Body Height:
1.940 inches
Unthreaded Mounting Hole Diameter:
0.080 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
3.995 inches
Vibration Resistance Range In Hertz:
+15.0/+2000.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.375 inches
Operating Tempurature Range:
-54.0/+55.0 degrees celsius
Average Life Rating In Hours:
15000.0
End Application:
Awads radar
Reference Frequency Per Function:
160.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Input Terminal Manufacturer Code:
56216
Input Terminal Identification:
Sma-plug
Output Terminal Manufacturer Code:
56216
Output Terminal Identification:
Sma-plug
Inclosure Type:
Encased
Mounting Facility Type And Quantity:

4 unthreaded hole

NSN 5915-01-352-6833

Band Pass Filter - Page 2 of 2



Features Provided:

Fungus resistant and shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 blank

Functional Terminal Type And Quantity:

1 connector, plug input 1st function1 connector, plug output 2nd function

Specified Frequencies Of Discrimination Per Function:

159.00 megahertz blank and 159.50 megahertz blank and 160.50 megahertz blank and 161.00 megahertz blank

Body Material:

Aluminum

Frequency Band Width Per Function:

159.50 megahertz blank and 160.50 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 60.0 blank

Unpackaged Unit Weight:

0.600 pounds

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0