NSN 5915-01-354-3771

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-354-3771 **Overall Length:** 2.260 inches **Body Length:** 1.500 inches **Body Width:** 0.500 inches **Body Height:** 0.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.300 inches **Operating Tempurature Range:** -54.0/+60.0 degrees celsius **Reference Frequency Per Function:** 9.0 gigahertz blank **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Voltage Standing Wave Ratio Per Function:** 1.5 blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Hermetically sealed **Mounting Facility Type And Quantity:** 2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

0.9 blank

Functional Terminal Type And Quantity:

1 connector, receptacle input 1st function1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

7.65 gigahertz blank and 8.865 gigahertz blank and 9.135 gigahertz blank and 9.495 gigahertz blank

Thread Size:

0.086 inches

Body Material:

Metal

Frequency Band Width Per Function:

 $8.865\ \mathrm{gigahertz}\ \mathrm{blank}\ \mathrm{and}\ 9.135\ \mathrm{gigahertz}\ \mathrm{blank}$

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 40.0 blank

NSN 5915-01-354-3771

Band Pass Filter - Page 2 of 2



Voltage Standing Wave Ratio Frequency Limits Per Function:

8.865 gigahertz blank and 9.135 gigahertz blank

Unpackaged Unit Weight:

1.500 ounces

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0