

View Online at <https://aerobasegroup.com/nsn/5915-01-356-1361>

Overall Height:

0.700 inches

Body Length:

1.000 inches

Body Width:

0.500 inches

Body Height:

0.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.380 inches

Operating Temperature Range:

-55.0/+100.0 degrees celsius

Average Life Rating In Hours:

100000.0

End Application:

Lantirn natigation pod

Reference Frequency Per Function:

60.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Average Power Rating Per Function:

1.0 watts blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

6 pin

Features Provided:

Bessel response

Insertion Loss At Reference Frequency Per Function In Decibels:

5.0 blank

Functional Terminal Type And Quantity:

4 pin ground and 2 pin input-output

Frequency Band Width Per Function:

62.70 megahertz blank and 57.30 megahertz blank

Maximum Dielectric Withstanding Dc Voltage:

20.0 volts at sea level

Special Features:

Selected item drawing; selected from: 50140 mb3ib20-60/2.7-p/p; 67021 mfx-3-60-2.7-p/p

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0