## NSN 5915-01-356-6502

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-356-6502

Overall Height:
1.337 inches
Body Length:
1.750 inches
Body Width:
0.500 inches
Body Height:
1.150 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.450 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.850 inches
Operating Tempurature Range:
-55.0/+95.0 degrees celsius
Reference Frequency Per Function:
200.0 kilohertz blank
Source Impedance Rating Per Function:
1.0 kilohms blank
Load Impedance Per Function:
1.0 kilohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 blank
Functional Terminal Type And Quantity:
1 pin input 1st function1 pin output 2nd function1 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
40.00 kilohertz blank and 200.00 kilohertz blank and 400.00 kilohertz blank and 600.00 kilohertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
40.00 kilohertz blank and 200.00 kilohertz blank

3.0 blank and 85.0 blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

## NSN 5915-01-356-6502

Low Pass Filter - Page 2 of 2



Style Designator:
Rectangular terminal/terminals on one surface
Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0