

View Online at <https://aerobasegroup.com/nsn/5915-01-358-2466>

Overall Length:

5.250 inches

Overall Height:

2.000 inches

Overall Width:

7.250 inches

Body Length:

3.250 inches

Body Width:

6.000 inches

Unthreaded Mounting Hole Diameter:

0.375 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.000 inches

Vibration Resistance Range In Hertz:

+20.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

4.250 inches

Operating Temperature Range:

+0.0/+50.0 degrees celsius

End Application:

Ltwtg shf sat

Source Impedance Rating Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

Operating Current Rating Per Function In Amps:

3.5 1st radio interference 3.5 2nd radio interference

Maximum Voltage Drop Per Function:

1.2 volts ac 1st radio interference 1.2 volts ac 2nd radio interference

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 unthreaded hole

Features Provided:

Shock resistant

Functional Terminal Type And Quantity:

1 connector, receptacle input 1st function 1 connector, receptacle output 2nd function 1 threaded stud ground 3rd function

Operating Voltage Rating And Type Per Function:

120.0 volts ac 1st radio interference 1st function 120.0 volts ac 2nd radio interference 2nd function

Body Material:

Metal

Body Surface Treatment:

Tin

Special Features:

Two filtered functions

Unpackaged Unit Weight:

4.000 pounds

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0