## NSN 5915-01-358-7346

**Overall Length:** 

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-358-7346

| 4.450 inches  |
|---|
| Overall Height:   |
| 2.300 inches  |
| Body Length:  |
| 3.750 inches  |
| Body Width:   |
| 4.250 inches  |
| Body Height:  |
| 2.200 inches  |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  |
| 3.250 inches  |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:   |
| 2.750 inches  |
| Operating Tempurature Range:  |
| -55.0/+100.0 degrees celsius  |
| Source Impedance Rating Per Function:   |
| 50.0 ohms 1st radio interference50.0 ohms 2nd radio interference50.0 ohms 3rd radio interference50.0 ohms 4th radio interference50.0            |
| ohms 5th radio interference50.0 ohms 6th radio interference   |
| Load Impedance Per Function:  |
| 50.0 ohms 1st radio interference50.0 ohms 2nd radio interference50.0 ohms 3rd radio interference50.0 ohms 4th radio interference50.0            |
| ohms 5th radio interference50.0 ohms 6th radio interference   |
| Operating Current Rating Per Function In Amps:  |
| 3.0 1st radio interference3.0 2nd radio interference1.0 3rd radio interference2.0 4th radio interference2.0 5th radio interference0.2 6th radio |
| interference  |
| Principal Circuitry Type Per Function:  |
| Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference inductance-capacitance 3rd radio interference       |
| inductance-capacitance 4th radio interference inductance-capacitance 5th radio interference inductance-capacitance 6th radio interference       |
| Mounting Facility Screw Thread Series Designator:   |
| Unc   |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Type And Quantity:  |
| 4 threaded hole   |
| Functional Terminal Type And Quantity:  |
| 1 connector, receptacle input 1st function10 pin output 2nd function1 turret ground 3rd function  |
| Operating Voltage Rating And Type Per Function:   |

168.0 volts ac 1st radio interference 1st function168.0 volts ac 2nd radio interference 2nd function28.0 volts dc 3rd radio interference 3rd function28.0 volts dc 4th radio interference 4th function28.0 volts dc 5th radio interference 5th function28.0 volts dc 6th radio interference 6th

Aluminum

function

Thread Size: 0.138 inches Body Material:

## NSN 5915-01-358-7346

Radio Frequency Interference Filter - Page 2 of 2



| Unpackaged Unit Weight:                        |
|--|
| 3.500 pounds                                   |
| Style Designator:                              |
| Rectangular terminal/terminals on two surfaces |
| Shelf Life:                                    |
| N/a  |
| Unit Of Measure:                               |
|  |
| Demilitarization:                              |
| No   |
| Fiig:  |

A047b0