

View Online at <https://aerobasegroup.com/nsn/5915-01-372-2368>

Overall Length:

8.790 inches

Overall Height:

2.250 inches

Body Length:

6.940 inches

Body Width:

4.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

4.000 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 1st radio interference 400.0 2nd radio interference

Operating Current Rating Per Function In Amps:

50.0 1st radio interference 50.0 2nd radio interference

Maximum Voltage Drop Per Function:

1.15 volts ac 1st radio interference and 1.15 volts dc 1st radio interference 1.15 volts ac 2nd radio interference and 1.15 volts dc 2nd radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference

Maximum Temperature Rise:

35.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Features Provided:

Shock resistant

Functional Terminal Type And Quantity:

2 threaded stud input 1st function 2 threaded stud output 2nd function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 1st radio interference 1st function and 400.0 volts dc 1st radio interference 1st function 115.0 volts ac 2nd radio interference 2nd function and 400.0 volts dc 2nd radio interference 2nd function

Thread Size:

0.190 inches

Body Material:

Metal

Unpackaged Unit Weight:

5.240 pounds

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Test Data Document:

81349-mil-f-15733 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-f-15733/75 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0