## NSN 5915-01-376-2994

Metal

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-376-2994 **Overall Length:** 6.865 inches **Body Length:** Between 4.940 inches and 5.060 inches **Body Outside Diameter:** 1.770 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Power Line Frequency Rating Per Function In Hertz:** 400.0 blank **Operating Current Rating Per Function In Amps:** 10.0 blank **Maximum Voltage Drop Per Function:** 1.15 volts ac blank and 1.15 volts dc blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Maximum Tempurature Rise:** 25.0 degrees celsius Full Load Insertion Loss Frequencies In Megahertz: 0.014 and 0.02 and 0.05 and 0.15 and 0.3 and 0.6 and 1.0 and 10.0 and 100.0 and 1000.0 Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels: 15.0 and 18.0 and 28.0 and 37.0 and 45.0 and 53.0 and 58.0 and 70.0 and 70.0 and 70.0 **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Hermetically sealed **Mounting Facility Type And Quantity:** 1 threaded bushing **Features Provided:** Shock resistant and moisture resistant **Functional Terminal Type And Quantity:** 1 threaded stud input 1st function1 threaded stud output 2nd function **Operating Voltage Rating And Type Per Function:** 115.0 volts ac blank and 400.0 volts dc blank **Thread Size:** 0.750 inches **Body Material:** 

## NSN 5915-01-376-2994

Radio Frequency Interference Filter - Page 2 of 2



Maximum	<b>Dielectric</b>	Withstandi	ng D	c Voltage:

1000.0 volts at sea level

**Style Designator:** 

Round terminal/terminals on opposite surfaces

## **Test Data Document:**

81349-mil-f-15733 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-f-15733/73 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A047b0

Mil-std (military Standard):

Mil-f-15733 spec.