

View Online at <https://aerobasegroup.com/nsn/5915-01-377-5816>

Overall Length:

6.910 inches

Body Length:

Between 4.690 inches and 4.810 inches

Body Outside Diameter:

2.270 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

End Application:

2350-00-808-7100 tractor, full tracke

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Power Line Frequency Rating Per Function In Hertz:

400.0 blank

Operating Current Rating Per Function In Amps:

30.0 blank

Maximum Voltage Drop Per Function:

1.0 volts ac blank and 1.0 volts dc blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Maximum Temperature Rise:

35.0 degrees celsius

Full Load Insertion Loss Frequencies In Megahertz:

0.014 and 0.02 and 0.05 and 0.15 and 0.3 and 0.6 and 1.0 and 10.0 and 100.0 and 1000.0

Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:

15.0 and 18.0 and 28.0 and 37.0 and 45.0 and 53.0 and 58.0 and 70.0 and 70.0 and 70.0

Mounting Facility Screw Thread Series Designator:

Unef

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

1 threaded bushing

Features Provided:

Shock resistant and moisture resistant

Functional Terminal Type And Quantity:

1 threaded stud output 2nd function

Operating Voltage Rating And Type Per Function:

30.0 volts ac blank and 30.0 volts dc blank

Thread Size:

1.125 inches

Body Material:

Metal

Style Designator:

Round terminal/terminals on opposite surfaces

Test Data Document:

81349-mil-f-15733 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-f-15733/72 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0