## NSN 5915-01-380-1464

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-380-1464 **Overall Length:** 7.500 inches **Body Length:** 6.000 inches **Body Width:** 0.750 inches **Body Height:** 1.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 5.800 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.550 inches **Operating Tempurature Range:** +16.0/+40.0 degrees celsius **Reference Frequency Per Function:** 2250.0 megahertz blank **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Voltage Standing Wave Ratio Per Function:** 1.5 blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Hermetically sealed

**Mounting Facility Type And Quantity:** 

4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

1.0 blank

**Functional Terminal Type And Quantity:** 

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:** 

1700.00 megahertz blank and 2150.00 megahertz blank and 2350.00 megahertz blank and 2500.00 megahertz blank

**Thread Size:** 

0.086 inches

**Body Material:** 

Metal

**Frequency Band Width Per Function:** 

2150.00 megahertz blank and 2350.00 megahertz blank

## NSN 5915-01-380-1464

Band Pass Filter - Page 2 of 2



Voltage Standing Wave Ratio Frequency Limits Per Functio	Voltage	Standing	<b>Wave Ratio</b>	Frequency	Limits Per	<b>Function</b>
--	---------	----------	-------------------	-----------	------------	-----------------

2150.0 megahertz blank and 2350.0 megahertz blank

**Style Designator:** 

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0