## NSN 5915-01-392-0944

Radio Frequency Interference Filter - Page 1 of 2



Tradio Froquerio, interiorendo Final Frago For 2
View Online at https://aerobasegroup.com/nsn/5915-01-392-0944
Overall Length:
2.500 inches
Overall Height:
1.344 inches
Overall Width:
1.344 inches
Operating Tempurature Range:
+0.0/+50.0 degrees celsius
Source Impedance Rating Per Function:
50.0 ohms 4th radio interference
Load Impedance Per Function:
50.0 ohms 5th radio interference
Operating Current Rating Per Function In Amps:
13.0 6th radio interference
Full Load Insertion Loss Frequencies In Megahertz:
0.02 and 0.2 and 1.0 and 10.0 and 100.0
Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:
1.0 and 3.0 and 5.0 and 20.0 and 40.0
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
1 threaded bushing
Features Provided:
Shock resistant
Functional Terminal Type And Quantity:
10 friction w/grounding strap and pin input-output
Body Material:
Aluminum
Maximum Dielectric Withstanding Dc Voltage:
500.0 volts at sea level
Body Surface Treatment:
Cadmium or nickel

**Criticality Code Justification:** 

Nhcf

**Special Features:** 

Six filtered functions; four unfiltered functions

**Nuclear Hardness Critical Feature:** 

Hardened

**Precious Material And Location:** 

Contact pin and socket surfaces gold

**Precious Material:** 

Gold

## NSN 5915-01-392-0944

Radio Frequency Interference Filter - Page 2 of 2



Style Designator:
Filter connector
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A047b0