

View Online at <https://aerobasegroup.com/nsn/5915-01-466-0893>

**Overall Length:**

8.620 inches

**Overall Height:**

4.000 inches

**Mounting Slot Width:**

0.180 inches

**Body Length:**

7.000 inches

**Body Width:**

4.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.250 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

7.810 inches

**End Application:**

Star window airborne system and rct

**Source Impedance Rating Per Function:**

50.0 cnb ohms per mile

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

400.0 3rd radio interference

**Operating Current Rating Per Function In Amps:**

5.0 3rd radio interference

**Full Load Insertion Loss Frequencies In Megahertz:**

0.02 and 0.05 and 0.15 and 1.5 and 5.0 and 50.0

**Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:**

24.0 and 34.0 and 65.0 and 65.0 and 65.0 and 60.0

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 slot

**Functional Terminal Type And Quantity:**

3 threaded stud input 1st function

**Operating Voltage Rating And Type Per Function:**

125.0 volts ac 1st radio interference 1st function and 250.0 volts ac 1st radio interference 1st function

**Special Features:**

Low pass emi filter for eliminating power line interference; 3 phase

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0