

View Online at <https://aerobasegroup.com/nsn/5915-01-504-2312>

Overall Length:

Between 6.000 inches and 6.250 inches

Body Outside Diameter:

0.500 inches

Vibration Resistance Range In Hertz:

+5.0/+500.0

Operating Temperature Range:

+0.0/+50.0 degrees celsius

Reference Frequency Per Function:

312.5 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 connector

Features Provided:

Moisture resistant and shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Frequency Band Width Per Function:

233.80 megahertz blank and 391.20 megahertz blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

233.80 megahertz blank and 391.20 megahertz blank

Special Features:

Shock resistant 30g for 11.0 milliseconds; relative humidity type 90.0 percent

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0