

View Online at <https://aerobasegroup.com/nsn/5915-01-551-7254>

Overall Length:

4.580 inches

Body Length:

Between 3.500 inches and 3.620 inches

Body Outside Diameter:

1.150 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

End Application:

Ps degaussing 20, 26, 40kw

Source Impedance Rating Per Function:

50.0 tnt any acceptable

Load Impedance Per Function:

50.0 ohms blank

Power Line Frequency Rating Per Function In Hertz:

400.0 blank

Operating Current Rating Per Function In Amps:

0.5 blank

Maximum Voltage Drop Per Function:

1.25 volts ac blank and 1.25 volts dc blank

Maximum Temperature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

1 threaded bushing

Functional Terminal Type And Quantity:

1 tab, solder lug input 1st function and 1 tab, solder lug output 1st function

Operating Voltage Rating And Type Per Function:

250.0 volts ac blank 1st function and 600.0 volts dc blank 1st function

Thread Size:

0.437 inches

Body Material:

Metal

Product Name:

Filters, radio frequency interference, style fl56

Style Designator:

Round terminal/terminals on opposite surfaces

Test Data Document:

81349-mil-prf-15733 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-prf-15733/74a government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0

Mil-std (military Standard):

Mil-prf-15733 spec.