

View Online at <https://aerobasegroup.com/nsn/5915-01-612-6899>

Overall Length:

1.062 inches

Mounting Slot Width:

Between 0.100 inches and 0.125 inches

Body Outside Diameter:

0.410 inches

Unthreaded Mounting Hole Diameter:

Between 0.060 inches and 0.080 inches

Operating Temperature Range:

-55.0 to 125.0 degrees celsius

End Application:

4920-01-495-8100

Operating Current Rating Per Function In Amps:

0.1 blank single function

Maximum Voltage Drop Per Function:

0.17 volts dc blank single function

Maximum Temperature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 unthreaded hole single function

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

70.0 volts dc blank single function

Thread Size:

0.250 inches

Body Material:

Metal

Body Surface Treatment:

Tin

Product Name:

Subminiature filters

Special Features:

Pure tin finish treatment is prohibited

Unpackaged Unit Weight:

10.0 grams

Style Designator:

Round terminal/terminals on opposite surfaces

Specification Data:

81349/mil-prf-28861/4 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0

Mil-std (military Standard):

Mil-prf-28861 spec.