NSN 5915-01-623-7512

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-623-7512

Overall Length:
4.29 inches
Body Length:
3.20 inches
Body Width:
0.94 inches
Body Height:
1.60 inches
Unthreaded Mounting Hole Diameter:
0.12 inches
Operating Tempurature Range:
-55.0 to 100.0 degrees celsius
End Application:
4920-01-548-7640
Reference Frequency Per Function:
710.00 megahertz 1st high pass and 2490.00 megahertz 5th high pass 1st function
Source Impedance Rating Per Function:
50.0 ohms blank all functions
Load Impedance Per Function:
50.0 ohms blank all functions
Input Impedance Per Function W/load:
50.0 ohms blank all functions
Voltage Standing Wave Ratio Per Function:
1.5 blank all functions
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 unthreaded hole all functions
Insertion Loss At Reference Frequency Per Function In Decibels:
1.66 1st high pass and 1.89 5th high pass 1st function
Functional Terminal Type And Quantity:
1 pin input and 3 pin output all functions
Frequency Band Width Per Function:
710.00 megahertz 1st high pass and 2490.00 megahertz 5th high pass 1st function
Product Name:
Filter high pass 710 to 2490mhz
Unpackaged Unit Weight:
0.20 grams
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:

N/a

NSN 5915-01-623-7512

High Pass Filter - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A047b0