

View Online at <https://aerobasegroup.com/nsn/5920-00-012-0151>

Body Style:

Tube type

Terminal Material:

Brass

Terminal Surface Treatment:

Nickel

Overall Length:

Between 1.219 inches and 1.281 inches

Overall Diameter:

Between 0.246 inches and 0.254 inches

Case Material:

Glass

Continuous Current Rating In Amps:

15.000

Maximum Voltage Rating In Volts:

32.0 ac and 32.0 dc

Circuit Over-current Interruption Type:

Normal instantaneous

Interruption Indicator Method:

Visible element

End Application:

Missile, all-weather antiship, harpoon (agm-84); fire pumps; shipboard material handling equipment (mhe); trainer, b-1b aircraft; an/sqq-34 carrier based asw module; missile, ai-to-air, phoenix (aim-54); sonar acoustic miscellaneous; I.P. Compressors; stream (std. Tensioned replenishment at sea method); support equipment, b-52 aircraft

Features Provided:

Nonrenewable fusible element

Short-circuit/interrupt Current Rating In Amps:

10000.0

Test Data Document:

81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-f-15160/2d government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A01700