## NSN 5920-00-107-0824

Block Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-107-0824

Body Material:
Plastic, polyester, mil-m-14, type mai-60 and plastic, silicone, mil-m-14, type msi-30
Body Style:
Open type
Terminal Material:
Cadmium, qq-p-416 and silver plated, qq-s-365
Terminal Surface Treatment:
Steel, mil-s-6050
Overall Length:
3.943 inches
Overall Height:
1.922 inches
Overall Width:
Between 0.907 inches and 0.969 inches
Mounting Hole Diameter:
0.190 inches
Mounting Hole Quantity:
2
Base Thickness:
0.580 inches
Mounting Hole Style:
In-line along the length
Contact Material:
Steel
Contact Surface Treatment:
Cadmium, qq-p-416
Fuse Accommodation Quantity:
1
Accommodated Fuse Length:
3.188 inches
Accommodated Fuse Width:
0.750 inches
Accommodated Fuse Thickness:
0.094 inches
Center To Center Distance Between Fuse Contacts:
Between 2.433 inches and 2.443 inches
Center To Center Distance Between Outside Mounting Holes Along Length:
Between 0.995 inches and 1.005 inches
Screw Thread Diameter:
0.312 inches
Screw Thready Qty Per Inch (tpi):

24.0

## **NSN 5920-00-107-0824** Block Fuseholder - Page 2 of 2



Current Carrying Rating In Amps:
500.0
Internal Circuit Configuration And Pole Quantity:
1 pole, mainline, fused
Fuse Terminal Type Accommodated:
Slotted lug
Voltage In Volts:
41.0
Test Data Document:
81349-mil-f-5373c specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0