NSN 5920-00-116-4959

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-116-4959 **Body Material:** Plastic, phenolic, moulded **Body Style:** Rear panel mounted type **Terminal Material: Brass Terminal Surface Treatment:** Silver plated **Overall Length:** 3.500 inches **Overall Height:** 1.625 inches **Overall Width:** 1.375 inches **Mounting Hole Diameter:** 0.156 inches **Mounting Hole Quantity:** 2 **Environmental Protection:** Any acceptable **Mounting Hole Style:** 2 bushing mounting w/2 holes **Lens Color:** Clear **Contact Material:** Beryllium copper **Contact Surface Treatment:** Any acceptable **Interruption Indicator Method:** Neon lamp **Fuse Accommodation Quantity: Accommodated Fuse Length:** 2.000 inches **Accommodated Ferrule Diameter:** 0.562 inches **Resistor Rating:** 0.01 ohms **Indicating Lamp Voltage Range In Volts:** +30.0 to 90.0 **Length From Front Protrusion To Mounting Surface:**

0.812 inches

NSN 5920-00-116-4959Extractor Post Fuseholder - Page 2 of 2



Center To Center Distance Between Outside Mounting Holes Along Width:
0.938 inches
Bushing Hole Diameter:
0.875 inches
Center To Center Distance Between Bushing Holes:
0.800 inches
Center To Center Distance Between Keyway And Bushing Hole:
0.469 inches
Screw Thread Diameter:
0.138 inches
Screw Thready Qty Per Inch (tpi):
32.0
Current Carrying Rating In Amps:
25.0
Fuse Terminal Type Accommodated:
Ferrule
Voltage In Volts:
150.0
Precious Material And Location:
Terminal surface silver
Precious Material:
Silver
Terminal Type And Quantity:
4 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0