## NSN 5920-00-127-3846

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-127-3846 **Body Style:** Rear panel mounted type **Overall Length:** 4.125 inches **Overall Height:** 1.375 inches **Overall Width:** 1.375 inches **Mounting Hole Diameter:** 0.156 inches **Mounting Hole Quantity: Environmental Protection:** Any acceptable **Mounting Hole Style:** Bushing mounting w/4 holes **Contact Material:** Copper **Contact Surface Treatment:** Any acceptable **Interruption Indicator Method:** Neon lamp **Fuse Accommodation Quantity: Accommodated Fuse Length:** 1.500 inches **Accommodated Ferrule Diameter:** 0.406 inches **Resistor Rating:** 330.0 kilohms **Length From Front Protrusion To Mounting Surface:** Between 0.798 inches and 0.828 inches Center To Center Distance Between Outside Mounting Holes Along Length: 1.062 inches **Center To Center Distance Between Outside Mounting Holes Along Width:** 1.062 inches **Bushing Hole Diameter:** 1.145 inches

**Center To Center Distance Between Bushing Hole And Mounting Hole:** 

0.531 inches

**Screw Thread Diameter:** 

0.164 inches

## **NSN 5920-00-127-3846**Extractor Post Fuseholder - Page 2 of 2



Screw Thready Qty Per Inch (tpi):
32.0
Current Carrying Rating In Amps:
30.0
Criticality Code Justification:
Feat
Fuse Terminal Type Accommodated:
Ferrule
Voltage In Volts:
500.0
Special Features:
Item must comply w/rqmt of desc production standard no. L00656
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
<del>.</del>
Demilitarization:
No
Fiig:
A014a0