

View Online at <https://aerobasegroup.com/nsn/5920-00-179-4580>

Body Material:

Plastic, polyester, mil-m-14, type mai-60

Body Style:

Panel mounted type

Overall Length:

2.000 inches

Overall Height:

1.810 inches

Overall Width:

2.090 inches

Mounting Hole Diameter:

0.138 inches

Mounting Hole Quantity:

1

Panel Thickness:

0.187 inches

Environmental Protection:

Watertight

Mounting Hole Style:

Panel mounting w/2 or 3 holes

Contact Material:

Any acceptable

Contact Surface Treatment:

Any acceptable

Interruption Indicator Method:

Neon lamp

Fuse Accommodation Quantity:

2

Accommodated Fuse Length:

1.250 inches

Accommodated Ferrule Diameter:

0.250 inches

Resistor Rating:

120.0 kilohms

Length From Front Protrusion To Mounting Surface:

0.873 inches

Cap Diameter:

0.625 inches

Mounting Hole Height:

1.594 inches

Mounting Hole Width:

1.375 inches

Center To Center Distance Between Outside Mounting Holes Along Length:

1.780 inches

Center To Center Distance Between Outside Mounting Holes Along Width:

0.880 inches

Screw Thread Diameter:

0.164 inches

Screw Thread Qty Per Inch (tpi):

32.0

Current Carrying Rating In Amps:

30.0

Fuse Terminal Type Accommodated:

Ferrule

Voltage In Volts:

250.0

Precious Material And Location:

Contact surfaces silver

Precious Material:

Silver

Test Data Document:

81349-mil-f-19207 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 81349-mil-f-19207/22 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

4 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A014a0