# NSN 5920-00-199-4001

Cartridge Fuse - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5920-00-199-4001

# Body Style:

Tube type

**Terminal Material:** 

Brass or copper or copper alloy

# **Terminal Surface Treatment:**

Nickel

#### **Overall Length:**

Between 1.469 inches and 1.531 inches

#### **Overall Diameter:**

Between 0.402 inches and 0.410 inches

#### Case Material:

Fiber

**Continuous Current Rating In Amps:** 

0.400

Maximum Voltage Rating In Volts:

250.0 ac and 250.0 dc

## **Circuit Over-current Interruption Type:**

Time delay

## Interruption Indicator Method:

Opaque body

## **Features Provided:**

Nonrenewable fusible element

## Circuit Over-current Interruption Delay Time In Seconds:

12.0 200 pct of current rating

## Short-circuit/interrupt Current Rating In Amps:

35.0

## Test Data Document:

81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-f-15160/9 government specification

# Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A01700