## NSN 5920-00-228-4418

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-228-4418 **Body Material:** Plastic, polyester, mil-m-14, type mai-60 **Body Style:** Panel mounted type **Terminal Material: Brass Overall Length:** 10.313 inches **Mounting Hole Diameter:** 0.344 inches **Mounting Hole Quantity: Overall Diameter: 3.938** inches **Panel Thickness:** 0.250 inches **Environmental Protection:** Dripproof **Mounting Hole Style:** Bushing mounting w/3 holes **Lens Color:** Clear **Contact Material:** Copper **Contact Surface Treatment:** Nickel plated **Interruption Indicator Method:** Neon lamp **Shortest Center To Center Distance Between Mounting Holes Along Length:** 1.250 inches **Fuse Accommodation Quantity: Accommodated Fuse Length:** 7.125 inches **Accommodated Ferrule Diameter:** Between 1.875 inches and 1.880 inches **Length From Front Protrusion To Mounting Surface:** 2.125 inches Cap Diameter:

**3.188** inches

Center To Center Distance Between Outside Mounting Holes Along Length:

2.500 inches

## NSN 5920-00-228-4418 Extractor Post Fuseholder - Page 2 of 2



Center To Center Distance Between Outside Mounting Holes Along Width:
3.126 inches
Center To Center Distance Between Inside Mounting Holes Along Length:
1.250 inches
Bushing Hole Diameter:
2.938 inches
Center To Center Distance Between Bushing Hole And Mounting Hole:
1.813 inches
Screw Thread Diameter:
0.375 inches
Screw Thready Qty Per Inch (tpi):
16.0
Current Carrying Rating In Amps:
200.0
Fuse Terminal Type Accommodated:
Knife blade
Voltage In Volts:
500.0
Precious Material And Location:
Terminal hex nut surface silver
Precious Material:
Silver
Test Data Document:
31349-mil-f-19207 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 threaded stud
Specification Data:
31349-mil-f-19207/7 government specification
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A014a0