

View Online at <https://aerobasegroup.com/nsn/5920-00-246-9575>

Body Material:

Plastic, diallyl phthalate, mil-m-19833, type gdi-30f

Body Style:

Rear panel mounted type

Terminal Surface Treatment:

Gold plated

Overall Length:

3.070 inches

Overall Height:

Between 0.995 inches and 1.005 inches

Overall Width:

Between 0.745 inches and 0.755 inches

Mounting Hole Quantity:

1

Environmental Protection:

Any acceptable

Mounting Hole Style:

Panel mounting

Contact Material:

Any acceptable

Contact Surface Treatment:

Gold plated

Interruption Indicator Method:

Neon lamp

Fuse Accommodation Quantity:

1

Accommodated Fuse Length:

1.250 inches

Accommodated Ferrule Diameter:

0.250 inches

Resistor Rating:

60.0 kilohms

Indicating Lamp Voltage Range In Volts:

+90.0/+125.0

Length From Front Protrusion To Mounting Surface:

0.190 inches

Mounting Hole Height:

Between 0.670 inches and 0.680 inches

Mounting Hole Width:

Between 0.920 inches and 0.930 inches

Current Carrying Rating In Amps:

30.0

Fuse Terminal Type Accommodated:

Ferrule

Voltage In Volts:

125.0

Test Data Document:

81349-mil-f-19207/33 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A014a0