Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-280-4099

## **Body Material:**

Plastic, phenolic, moulded

**Body Style:** 

Bushing mounted type

# **Terminal Material:**

Brass

## **Terminal Surface Treatment:**

Any acceptable

### **Overall Length:**

2.812 inches

#### **Bushing Diameter:**

0.625 inches

#### **Overall Width:**

Any acceptable

# **Body Diameter:**

0.820 inches

#### . . . . .

Mounting Hole Diameter:

0.110 inches

### Mounting Hole Quantity:

2

## Environmental Protection:

Dripproof

### Mounting Hole Style:

**Bushing mounting** 

#### Lens Color:

Clear

#### **Contact Material:**

Brass or copper

### **Contact Surface Treatment:**

Any acceptable

## Interruption Indicator Method:

Neon lamp

### **Fuse Accommodation Quantity:**

1

# Accommodated Fuse Length:

1.250 inches

#### Accommodated Ferrule Diameter:

0.250 inches

#### **Resistor Rating:**

220.0 kilohms

# Indicating Lamp Voltage Range In Volts:

+90.0 to 250.0



Length From Front Protrusion To Mounting Surface:
1.219 inches
Bushing Thread Length:
0.438 inches
Cap Diameter:
Any acceptable
Bushing Hole Diameter:
Between 0.625 inches and 0.635 inches
Flatted Side Bushing Hole Length:
Between 0.570 inches and 0.575 inches
Current Carrying Rating In Amps:
15.0
Fuse Terminal Type Accommodated:
Ferrule
Voltage In Volts:
250.0
Special Features:
1/3 watt integral resistor
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0