## NSN 5920-00-281-0163



Cartridge Fuse - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5920-00-281-0163 **Body Style:** Knife blade type **Terminal Material:** Copper **Terminal Surface Treatment:** Nickel **Overall Length:** Between 1.813 inches and 1.937 inches **Terminal Length:** 1.000 inches **Overall Diameter:** 1.312 inches **Case Material:** Fiber **Continuous Current Rating In Amps:** 80.000 **Terminal Width:** Between 0.715 inches and 0.785 inches **Terminal Thickness:** Between 0.122 inches and 0.128 inches **Maximum Voltage Rating In Volts:** 250.0 ac and 250.0 dc **Circuit Over-current Interruption Type:** Time delay **Interruption Indicator Method:** Opaque body **Features Provided:** Nonrenewable fusible element Circuit Over-current Interruption Delay Time In Seconds: 10.0 400 pct of current rating **Short-circuit/interrupt Current Rating In Amps:** 10000.0 **Test Data Document:** 81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-f-15160/19 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

## **NSN 5920-00-281-0163**Cartridge Fuse - Page 2 of 2



Fiig:

A01700