## NSN 5920-00-284-7834

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-284-7834 **Body Material:** Plastic **Body Style:** Bushing mounted type **Terminal Material:** Beryllium copper and brass **Terminal Surface Treatment:** Tin plated and tin plated **Overall Length:** 2.219 inches **Bushing Diameter:** 0.250 inches **Overall Width:** 0.813 inches **Body Diameter:** Between 0.709 inches and 0.722 inches **Mounting Hole Quantity:** 1 **Environmental Protection:** Any acceptable **Mounting Hole Style: Bushing mounting Contact Material: Brass Contact Surface Treatment:** Any acceptable **End Application:** Aircraft, tomcat f-14; integrated underwater surveillance systems; aircraft, stratolifter c-135; aircraft, stratofortress b-52; forrestal class cv; aircraft, viking s-3b; aircraft, phantom f-4; aircraft, hawkeye e-2c; systems, 02n2 **Fuse Accommodation Quantity: Accommodated Fuse Length:** 1.000 inches **Accommodated Ferrule Diameter:** 0.250 inches **Length From Front Protrusion To Mounting Surface:** 0.516 inches **Bushing Thread Length:** 0.500 inches Cap Diameter:

**Bushing Hole Diameter:** 

Between 0.502 inches and 0.510 inches

0.715 inches

## NSN 5920-00-284-7834

Extractor Post Fuseholder - Page 2 of 2



Flatted Side Bushing Hole Length:
Between 0.475 inches and 0.480 inches
Current Carrying Rating In Amps:
5.0
Criticality Code Justification:
Feat
Fuse Terminal Type Accommodated:
Ferrule
Voltage In Volts:
250.0
Special Features:
Weapon system essential
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0