# NSN 5920-00-296-6841

Cartridge Fuse - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5920-00-296-6841

# Body Style:

Self indicating type

#### **Terminal Material:**

Brass or copper or copper alloy

# **Terminal Surface Treatment:**

Silver plated

#### **Overall Length:**

1.593 inches

#### **Body Length:**

Between 1.469 inches and 1.531 inches

#### **Overall Diameter:**

Between 0.402 inches and 0.410 inches

#### Case Material:

Fiber

#### **Continuous Current Rating In Amps:**

6.000

## Maximum Voltage Rating In Volts:

250.0 ac and 250.0 dc

# **Circuit Over-current Interruption Type:**

Normal instantaneous

# Interruption Indicator Method:

Terminal-visual or alarm

# Features Provided:

Nonrenewable fusible element

# Short-circuit/interrupt Current Rating In Amps:

1000.0

# **Precious Material And Location:**

Terminal surfaces silver

# **Precious Material:**

Silver

# Test Data Document:

81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-f-15160/10 government specification

Shelf Life: N/a

. . . .

# Unit Of Measure:

- --
- Demilitarization:

No

Fiig:

A01700