# NSN 5920-00-424-9540

Cartridge Fuse - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5920-00-424-9540

# **Body Style:**

Tube type

# **Terminal Material:**

Brass or copper or phosphor bronze or copper alloy

# **Terminal Surface Treatment:**

Nickel

## **Overall Length:**

1.250 inches

#### **Overall Diameter:**

0.250 inches

**Case Material:** 

Glass

**Continuous Current Rating In Amps:** 

0.400

## Maximum Voltage Rating In Volts:

250.0 ac and 250.0 dc

# **Circuit Over-current Interruption Type:**

Time delay

# Interruption Indicator Method:

Visible element

# **Features Provided:**

Nonrenewable fusible element

## Circuit Over-current Interruption Delay Time In Seconds:

12.0 200 pct of current rating

# Short-circuit/interrupt Current Rating In Amps:

35.0

## Test Data Document:

81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-f-15160/2 government specification

# Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

Fiig:

A01700