NSN 5920-00-686-2670

Cartridge Fuse - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-686-2670
Body Style:
Tangent terminal type
Terminal Material:
Brass
Terminal Surface Treatment:
Nickel
Overall Length:
Between 1.719 inches and 1.781 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
Between 0.969 inches and 1.031 inches
Overall Width:
Between 1.281 inches and 1.343 inches
Mounting Slot Width:
Between 0.259 inches and 0.260 inches
Overall Diameter:
Between 0.781 inches and 0.843 inches
Case Material:
Fiber or paper
Continuous Current Rating In Amps:
70.000
Terminal Thickness:
0.047 inches
Maximum Voltage Rating In Volts:
32.0 ac and 32.0 dc
Circuit Over-current Interruption Type:
Normal instantaneous
Interruption Indicator Method:
Opaque body
Features Provided:
Nonrenewable fusible element
Short-circuit/interrupt Current Rating In Amps:
10000.0
Test Data Document:
81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-f-15160/40 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5920-00-686-2670Cartridge Fuse - Page 2 of 2



Fiig:

A01700