## NSN 5920-00-714-8847

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-714-8847 **Body Material:** Plastic, diallyl phthalate, mil-m-14, type mdg **Body Style:** Panel mounted type **Terminal Material: Brass Terminal Surface Treatment:** Any acceptable **Overall Length:** 3.062 inches **Bushing Diameter:** 0.875 inches **Overall Height:** Between 1.812 inches and 1.817 inches **Overall Width:** Between 1.302 inches and 1.313 inches **Mounting Hole Diameter:** 0.156 inches **Mounting Hole Quantity: Environmental Protection:** Dripproof and fungus proof **Mounting Hole Style:** 2 bushing mounting w/2 holes **Contact Material:** Copper-beryllium, qq-c-530 **Contact Surface Treatment:** Silver plated, qq-s-365 **Fuse Accommodation Quantity: Accommodated Fuse Length:** 1.250 inches **Accommodated Ferrule Diameter:** 0.250 inches **Length From Front Protrusion To Mounting Surface:** Any acceptable **Center To Center Distance Between Outside Mounting Holes Along Width:** 0.984 inches **Bushing Hole Diameter:** 0.875 inches

0.800 inches

**Center To Center Distance Between Bushing Holes:** 

## **NSN 5920-00-714-8847**Extractor Post Fuseholder - Page 2 of 2



Center To Center Distance Between Keyway And Bushing Hole:	
Any acceptable	
Screw Thread Diameter:	
0.164 inches	
Screw Thready Qty Per Inch (tpi):	
32.0	
Current Carrying Rating In Amps:	
30.0	
Fuse Terminal Type Accommodated:	
Ferrule	
Voltage In Volts:	
250.0	
Precious Material And Location:	
Contacts silver	
Precious Material:	
Silver	
Terminal Type And Quantity:	
4 threaded stud	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A014a0	