

NSN 5920-00-823-0139 Extractor Post Fuseholder - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5920-00-823-0139 **Body Material:** Plastic, phenolic, moulded **Body Style:** Panel mounted type **Terminal Material: Brass Terminal Surface Treatment:** Silver plated and tin plated **Overall Length:** 3.875 inches **Overall Height:** 1.812 inches **Overall Width:** 1.188 inches **Mounting Hole Diameter:** 0.156 inches **Mounting Hole Quantity:** 2 **Environmental Protection:**

Any acceptable

Mounting Hole Style:

2 bushing mounting w/2 holes

Lens Color:

Clear

Contact Material:

Bronze alloy

Contact Surface Treatment:

Tin plated

Interruption Indicator Method:

Neon lamp

Fuse Accommodation Quantity:

2

Accommodated Fuse Length:

1.250 inches

Accommodated Ferrule Diameter:

0.250 inches

Resistor Rating:

120.0 kilohms

Indicating Lamp Voltage Range In Volts:

+90.0/+250.0

Length From Front Protrusion To Mounting Surface:

0.812 inches

NSN 5920-00-823-0139Extractor Post Fuseholder - Page 2 of 2



Center To Center Distance Between Outside Mounting Holes Along Width:
0.938 inches
Bushing Hole Diameter:
0.875 inches
Center To Center Distance Between Bushing Holes:
0.800 inches
Center To Center Distance Between Keyway And Bushing Hole:
0.469 inches
Screw Thread Diameter:
0.138 inches
Screw Thready Qty Per Inch (tpi):
32.0
Current Carrying Rating In Amps:
30.0
Fuse Terminal Type Accommodated:
Ferrule
Voltage In Volts:
250.0
Precious Material And Location:
Terminal surface silver
Precious Material:
Silver
Terminal Type And Quantity:
4 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0