

View Online at <https://aerobasegroup.com/nsn/5920-00-878-8907>

Overall Depth:

1.728 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.375 inches

Overall Height:

3.375 inches

Overall Width:

4.812 inches

Unthreaded Mounting Hole Diameter:

Between 0.145 inches and 0.156 inches

Standard Mounting Pattern Designator:

6 point-rectangular

System For Which Designed:

Three wire three phase and three wire dc

Fuse Current Rating In Amps:

3.0 and 6.0

Mounting Method:

Flange w/hole

Locking Device Type:

Latch

First Center To Center Distance Between Mounting Facilities Parallel To The Height:

0.812 inches

Second Center To Center Distance Between Mounting Facilities Parallel To The Height:

0.812 inches

Main Line Maximum Current Rating In Amps:

30.0

Main Line Maximum Ac Voltage Rating In Volts:

2000.0

Main Line Maximum Dc Voltage Rating In Volts:

850.0

Ground Connection Type For Which Designed:

Insulated

Fuse Type And Quantity Accommodated:

6 cartridge ferrule

Features Provided:

Cover

Entrance Type And Quantity:

1 rectangular/square

Material:

Aluminum alloy

Surface Treatment:

Anodize

Style Designator:

Rectangular, surface mounting

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A17600