

View Online at <https://aerobasegroup.com/nsn/5920-00-900-0209>

**Body Material:**

Plastic, diallyl phthalate, mil-m-14, type sdg

**Body Style:**

Panel mounted type

**Terminal Material:**

Brass

**Overall Length:**

Between 2.360 inches and 2.400 inches

**Overall Height:**

Between 2.170 inches and 2.210 inches

**Overall Width:**

Between 1.040 inches and 1.080 inches

**Mounting Hole Diameter:**

Between 0.147 inches and 0.157 inches

**Mounting Hole Quantity:**

4

**Environmental Protection:**

Watertight and body sealed

**Mounting Hole Style:**

3 bushing mounting w/4 holes

**Contact Material:**

Copper

**Contact Surface Treatment:**

Silver plated, qq-s-365

**Fuse Accommodation Quantity:**

3

**Accommodated Fuse Length:**

1.250 inches

**Accommodated Ferrule Diameter:**

0.250 inches

**Length From Front Protrusion To Mounting Surface:**

Between 0.540 inches and 0.580 inches

**Cap Diameter:**

Between 0.600 inches and 0.640 inches

**Center To Center Distance Between Outside Mounting Holes Along Length:**

Between 0.745 inches and 0.755 inches

**Center To Center Distance Between Outside Mounting Holes Along Width:**

Between 0.495 inches and 0.505 inches

**Bushing Hole Diameter:**

Between 0.583 inches and 0.598 inches

**Center To Center Distance Between Bushing Holes:**

Between 0.745 inches and 0.757 inches

**Err Default:**

Err default and err default

**Screw Thread Diameter:**

0.138 inches

**Screw Thready Qty Per Inch (tpi):**

32.0

**Current Carrying Rating In Amps:**

30.0

**Fuse Terminal Type Accommodated:**

Ferrule

**Voltage In Volts:**

250.0

**Precious Material And Location:**

Contact surfaces silver

**Precious Material:**

Silver

**Test Data Document:**

81349-mil-f-19207 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

3 threaded stud and 3 screw

**Specification Data:**

81349-mil-f-19207/30 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A014a0