## NSN 5920-00-900-8839

Cartridge Fuse - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-900-8839

### **Body Style:** Axial terminal type

## Terminal Material:

Brass

#### **Terminal Surface Treatment:**

Nickel

#### **Overall Length:**

3.000 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 2.469 inches and 2.531 inches

#### Mounting Slot Width:

Between 0.235 inches and 0.297 inches

#### **Body Length:**

Between 1.844 inches and 1.906 inches

#### **Overall Diameter:**

Between 0.531 inches and 0.593 inches

#### Case Material:

Fiber

#### **Continuous Current Rating In Amps:**

30.000

#### Terminal Width:

Between 0.469 inches and 0.531 inches

#### Maximum Voltage Rating In Volts:

125.0 ac and 125.0 dc

#### Circuit Over-current Interruption Type:

Time delay

#### Interruption Indicator Method:

Opaque body

#### **Features Provided:**

Nonrenewable fusible element

#### Circuit Over-current Interruption Delay Time In Seconds:

30.0 300 pct of current rating

#### Short-circuit/interrupt Current Rating In Amps:

10000.0

#### Test Data Document:

81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-f-15160/37 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# **NSN 5920-00-900-8839** Cartridge Fuse - Page 2 of 2

Demilitarization:

No

Fiig:

A01700

